

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/788479.app.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/26 15:34
S2	0	LAPB same DTE same DCE same configur\$5 same automat\$3 same (ABM or "asynchronous balanced mode") (@ad<"20040301" or @rlad<"20040301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/26 15:36
S3	0	LAPB same DTE same DCE same configur\$5 same (ABM or "asynchronous balanced mode") (@ad<"20040301" or @rlad<"20040301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/26 15:37
S4	3	(LAPB same DTE same DCE) configur\$5 (ABM or "asynchronous balanced mode") (@ad<"20040301" or @rlad<"20040301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/26 15:37
S5	4	(LAPB same (DTE or DCE)) configur\$5 (ABM or "asynchronous balanced mode") (@ad<"20040301" or @rlad<"20040301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/26 15:38
S6	3	LAPB DTE DCE configur\$5 (ABM or "asynchronous balanced mode") (@ad<"20040301" or @rlad<"20040301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/26 15:39
S7	3	LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) configur\$5 (ABM or "asynchronous balanced mode") (@ad<"20040301" or @rlad<"20040301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/26 15:46
S8	39	LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) configur\$5 (@ad<"20040301" or @rlad<"20040301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/27 07:58
S9	17	("5708778").URPN.	USPAT	AND	ON	2007/09/26 16:47

S10	13	("6005846").URPN.	USPAT	AND	ON	2007/09/26 16:57
S11	1	LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) 370/255. ccls. (@ad<"20040301" or @rlad<"20040301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/27 07:59
S12	0	LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) 370/357. ccls. (@ad<"20040301" or @rlad<"20040301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/27 07:59
S13	3	LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) 370/392. ccls. (@ad<"20040301" or @rlad<"20040301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/27 08:00
S14	0	LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) 370/464. ccls. (@ad<"20040301" or @rlad<"20040301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/27 08:00
S15	10	(US-20040052257-\$).did. or (US-4975910-\$ or US-4783778-\$ or US-5917823-\$ or US-5708778-\$ or US-5048087-\$ or US-5027343-\$ or US-4949338-\$ or US-4799153-\$ or US-6005846-\$).did.	US-PGPUB; USPAT	AND	ON	2007/09/27 08:01
S16	3	LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) (automatic \$4 near3 configur\$5) (@ad<"20040301" or @rlad<"20040301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/11 16:59
S17	0	LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) (configur\$5 near3 local near3 device) same (discover\$3 near3 remote near3 device) (@ad<"20040301" or @rlad<"20040301")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/11 17:03

S18	0	LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) (configur\$5 near3 local near3 (device or node)) same (discover\$3 near3 remote near3 (device or node)) (@ad<"20040301" or @rlad<"20040301"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/11 17:03
S19	2	LAPB same (DTE or "data terminal equipment") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment)) same configur\$5 (@ad<"20040301" or @rlad<"20040301"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/11 17:11
S20	0	(@ad<"20040301" or @rlad<"20040301") (LAPB with (device or terminal) with configur\$5) same (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:33
S21	1	(@ad<"20040301" or @rlad<"20040301") (LAPB with (device or terminal) with configur\$5) (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:34
S22	7	"1571783".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:36
S23	9	(@ad<"20040301" or @rlad<"20040301") (LAPB with (master or slave))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:39

S24	0	(@ad<"20040301" or @rlad<"20040301") (LAPB with (device or terminal)) same (automatic\$4 adj configur\$5) same (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:45
S25	0	(@ad<"20040301" or @rlad<"20040301") (LAPB with (device or terminal)) (automatic\$4 adj configur\$5) same (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput \$3 or communication) adj equipment) or NT or "network terminal"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:45
S26	1	09/647365.app.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:52
S27	2	10/647365.app.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:53
S28	10	("5410535" or "5497460" or "5502818" or "5504866" or "5596723").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:56
S29	0	S28 (@ad<"20040301" or @rlad<"20040301") (LAPB with (device or terminal) with configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:57
S30	0	S28 (@ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:58

S31	278	(@ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:58
S32	2	(@ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same configur\$5 same LAPB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:58
S33	0	(@ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same (mutual with configur\$5) same LAPB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:59
S34	0	(@ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same (automatic\$3 with configur\$5) same LAPB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 06:59
S35	23	("5165018" "5410535" "5497460" "5502818" "5504866" "5596723").PN. OR ("5708778").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/12 07:00
S36	0	S35 (@ad<"20040301" or @rlad<"20040301") (LAPB with (device or terminal) with configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 07:01

S37	130	(S35 @ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 07:09
S38	2	S35 (@ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 07:10
S39	1	(@ad<"20040301" or @rlad<"20040301") (LAPB with (automatic\$4 or adapt \$4) with configur\$5) (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 07:16
S40	0	(@ad<"20040301" or @rlad<"20040301") ((LAPB or "link access procedure balanced") with (device or terminal) with configur\$5) same ("no" with (master or slave))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 07:23
S41	0	(@ad<"20040301" or @rlad<"20040301") (LAPB or "link access procedure balanced") same ("no" with (master or slave))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 07:23
S42	124	(@ad<"20040301" or @rlad<"20040301") (LAPB or "link access procedure balanced") same (balanced)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 07:24
S43	8	(@ad<"20040301" or @rlad<"20040301") (LAPB or "link access procedure balanced") same configur\$5 same (balanced)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 07:24

S44	3	(@ad<"20040301" or @rlad<"20040301") ((LAPB or "link access procedure balanced") with configur\$5) (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 07:26
S45	1	(@ad<"20040301" or @rlad<"20040301") ((LAPB or "link access procedure balanced") with protocol) same "x.25" same (poll or final)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 07:34
S46	4	(@ad<"20040301" or @rlad<"20040301") ((LAPB or "link access procedure balanced") with protocol) same (poll or final)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 07:35
S47	0	(@ad<"20040301" or @rlad<"20040301") (LAPB or "link access procedure balanced") same configur\$5 same symmetric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 08:00
S48	5	(@ad<"20040301" or @rlad<"20040301") (LAPB or "link access procedure balanced") same symmetric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 08:00
S49	17	(@ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same (automatic\$4 with configur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 08:03
S50	0	(@ad<"20040301" or @rlad<"20040301") LAPB with initiat\$3 with (ASM or "asynchronous balanced mode")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 11:28

S51	2	(@ad<"20040301" or @rlad<"20040301") LAPB with (initiat\$3 or command \$3 or request\$3) with (ASM or "asynchronous balanced mode")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 11:29
S52	2	370/254.ccls. (@ad<"20040301" or @rlad<"20040301") configur \$5 same (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 12:05
S53	2	370/255.ccls. (@ad<"20040301" or @rlad<"20040301") configur \$5 same (DTE or "data terminal equipment") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 12:06
S54	0	370/257.ccls. (@ad<"20040301" or @rlad<"20040301") configur \$5 same (DTE or "data terminal equipment") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 12:07
S55	2	370/392.ccls. (@ad<"20040301" or @rlad<"20040301") configur \$5 same (DTE or "data terminal equipment") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 12:08
S56	0	370/464.ccls. (@ad<"20040301" or @rlad<"20040301") configur \$5 same (DTE or "data terminal equipment") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 12:09

S57	0	709/713.ccls. (@ad<"20040301" or @rlad<"20040301") configur \$5 same (DTE or "data terminal equipment") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/12 12:09
-----	---	---	---	-----	----	---------------------

3/ 13/ 2008 4:22:50 PM

C:\ Documents and Settings\ yzhou\ My Documents\ EAST\ Workspaces\ 10788479.w sp